


Technical information



BATTENS

Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY VAR LED 600 2640 830/40/57	96649382	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY VAR LED 1200 4400 830/40/57	96649383	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY VAR LED 1500 6600 830/40/57	96649384	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY VAR LED 600 2640 830/40/57 E2	96649385	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY VAR LED 1200 4400 830/40/57 E2	96649386	Datasheet	Photometry	Installation guide	RCM-Declaration
BARRY VAR LED 1500 6600 830/40/57 E2	96649387	Datasheet	Photometry	Installation guide	RCM-Declaration
HENRY VAR LED 600 2000 830/40/57	96650020	Datasheet	Photometry	Installation guide	RCM-Declaration
HENRY VAR LED 1200 4000 830/40/57	96650021	Datasheet	Photometry	Installation guide	RCM-Declaration
HENRY VAR LED 1500 6000 830/40/57	96650022	Datasheet	Photometry	Installation guide	RCM-Declaration
HENRY VAR LED 1200 4000 830/40/57 E2	96650256	Datasheet	Photometry	Installation guide	RCM-Declaration
HENRY VAR LED 1500 6000 830/40/57 E2	96650257	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 600 2200 830/40/57	96649388	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1200 4200 830/40/57	96649389	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1500 6300 830/40/57	96649390	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE LED Spare Mount Kit	96628409	Datasheet		Installation guide	
JULIE VAR LED 600 2200 830/40/57 MWS	96649391	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1200 4200 830/40/57 MWS	96649392	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1500 6300 830/40/57 MWS	96649393	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 600 2200 830/40/57 E2	96649394	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1200 4200 830/40/57 E2	96649395	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1500 6300 830/40/57 E2	96649396	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 600 2200 830/40/57 MWS E2	96649397	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1200 4200 830/40/57 MWS E2	96649398	Datasheet	Photometry	Installation guide	RCM-Declaration
JULIE VAR LED 1500 6300 830/40/57 MWS E2	96649399	Datasheet	Photometry	Installation guide	RCM-Declaration

BULKHEADS

Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA VARIOFLEX 250 1200 BEZEL TRIM WH	96635288	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA VARIOFLEX 300 2200 BEZEL TRIM WH	96635290	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA VARIOFLEX 300 2200 MWS BEZELTRIM WH	96635291	Datasheet	Photometry	Installation guide	RCM-Declaration
LARA VARIOFLEX 250 1200 EM BEZEL TRIM WH	96635541				
LARA VARIOFLEX 300 2200 EM BEZEL TRIM WH	96635543				
LARA VARIOFLEX 300 2200 MWS & E2 BEZEL TRIM WH	96635544				
LARA BEZEL TRIM 250 BK	96635294	Datasheet		Installation guide	
LARA EYELID TRIM 250 WH	96635295	Datasheet		Installation guide	
LARA EYELID TRIM 250 BK	96635296	Datasheet		Installation guide	
LARA BEZEL TRIM 300 BK	96635298	Datasheet		Installation guide	
LARA EYELID TRIM 300 WH	96635299	Datasheet		Installation guide	
LARA EYELID TRIM 300 BK	96635300	Datasheet		Installation guide	
LENA VAR 1400 320 DIM 830/40/57	96649602	Datasheet	Photometry	Installation guide	RCM-Declaration
LENA VAR 1800 380 DIM 830/40/57	96649603	Datasheet	Photometry	Installation guide	RCM-Declaration
LENA VAR 1800 380 DIM 830/40/57 MWS	96649604	Datasheet	Photometry	Installation guide	RCM-Declaration

Technical information

HIGHBAYS

Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
BORIS 300 19000 850 F&P	96651365	Datasheet	Photometry	Installation guide	RCM-Declaration
BORIS 375 30000 850 F&P	96651366	Datasheet	Photometry	Installation guide	RCM-Declaration

DOWNLIGHTS

Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
CHLOE VAR LED 90 800 830/42/57 DIM WH FP	96631233	Datasheet	Photometry	Installation guide	RCM-Declaration
SHARON VAR LED 90 800 830/40/57 DIM FP	96649647	Datasheet	Photometry	Installation guide	RCM-Declaration
SHARON VAR LED 160 1600 830/40/57 DIM FP	96649648	Datasheet	Photometry	Installation guide	RCM-Declaration


PANELS

Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY VAR LED 1200X600 4800 830/40/57 FP	96650508	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY VAR LED 1200X300 3200 830/40/57 FP	96650509	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY VAR LED 600X600 3500 830/40/57 FP	96650510	Datasheet	Photometry	Installation guide	RCM-Declaration
RUBY VAR LED 600X300 1800 830/40/57 FP	96650511	Datasheet	Photometry	Installation guide	RCM-Declaration

AROUND THE HOUSE

Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 80W 840 PC W3M	96651538	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 120W 840 PC W3M	96651539	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 190W 840 PC W3M	96651540	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 300W 840 PC W3M	96651542	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 350W 840 PC W3M	96651543	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 80W 850 PC W3M	96651533	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 120W 850 PC W3M	96651534	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 190W 850 PC W3M	96651535	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 300W 850 PC W3M	96651536	Datasheet	Photometry	Installation guide	RCM-Declaration
LEO FLEX IP66 350W 850 PC W3M	96651537	Datasheet	Photometry	Installation guide	RCM-Declaration
LEONIE VARIOFLEX IP65 16W 830/40/57	96652074	Datasheet	Photometry	Installation guide	RCM-Declaration
LEONIE VARIOFLEX IP65 40W 830/40/57	96652075	Datasheet			RCM-Declaration
LEONIE VARIOFLEX PLUG&PLAY MWS	96635648	Datasheet	Photometry	Installation guide	
LEONIE VARIOFLEX WALL BRACKET	96635746	Datasheet			
HOLLY CONE ROUND DOWN IP65 300 830	96633683	Datasheet	Photometry	Installation guide	RCM-Declaration
HOLLY CONE ROUND UP/DOWN IP65 500 830	96633684	Datasheet	Photometry	Installation guide	RCM-Declaration
HOLLY CONE SQUARE DOWN IP65 300 830	96633685	Datasheet	Photometry	Installation guide	RCM-Declaration
HOLLY CONE SQUARE UP/DOWN IP65 500 830	96633686	Datasheet	Photometry	Installation guide	RCM-Declaration
HOLLY WALL CAN DOWN IP65 250 830	96633687	Datasheet	Photometry	Installation guide	RCM-Declaration

Technical information



EMERGENCY


Description	Article No.	Datasheet	Photometry	Installation guide	RCM-Declaration
ERIC LED EXIT 24M E2M	96294618	Datasheet	Photometry	Installation guide	RCM-Declaration
EVE LED DISK D40 E2NM	96294619	Datasheet	Photometry	Installation guide	RCM-Declaration

Maximum loading of automatic circuit breakers




Barry Vario

Article No.	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25	Inrush current [A]	Pulse duration [μ s]
96649382	BARRY VAR LED 600 2640 830/40/57	75	115	125	150	210	50	70	85	110	110	15A	100 μ s
96649383	BARRY VAR LED 1200 4400 830/40/57	45	65	70	90	100	40	60	60	80	100	15A	100 μ s
96649384	BARRY VAR LED 1500 6600 830/60/57	30	45	50	60	75	30	45	50	60	75	20A	100 μ s
96649385	BARRY VAR LED 600 2640 830/40/57 E2	75	115	125	150	210	50	70	85	110	110	15A	100 μ s
96649386	BARRY VAR LED 1200 4400 830/50/57 E2	45	65	70	90	100	40	60	60	80	100	15A	100 μ s
96649387	BARRY VAR LED 1500 6600 830/60/57 E2	30	45	50	60	75	30	45	50	60	75	20A	100 μ s



Boris

Article No.	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25	Inrush current [A]	Pulse duration [μ s]
96651365	BORIS 300 19000 850 F&P	4	5	7	8	11	3	4	6	7	9	100A	220 μ s
96651366	BORIS 375 30000 850 F&P	2	3	4	5	6	2	3	4	5	6	100A	316 μ s



Chloe Vario


Article No.	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96631233	CHLOE VAR LED 90 800 830/42/57 DIM WH FP	200	260	320	400	200	260	320	400



Henry Vario

Article No.	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96650020	HENRY VAR LED 600 2000 830/40/57	14	18	22	28	13	16	20	26
96650021	HENRY VAR LED 1200 4000 830/40/57	9	12	14	18	8	10	13	16
96650022	HENRY VAR LED 1500 6000 830/40/57	6	8	10	12	5	7	9	11
96650256	HENRY VAR LED 1200 4000 830/40/57 E2	8	11	13	16	7	10	12	15
96650257	HENRY VAR LED 1500 6000 830/40/57 E2	5	7	8	10	4	6	7	9

Maximum loading of automatic circuit breakers



Holly

Article No.	Product Description	C10	C13	C16	C20	B10	B13	B16	B20	Inrush current [A]	Pulse duration [μs]
96633683	HOLLY CONE ROUND DOWN IP65 300 830	56	68	82	96	44	54	65	76	30A	200 μs
96633684	HOLLY CONE ROUND UP/DOWN IP65 500 830	56	68	82	96	44	54	65	76	30A	200 μs
96633685	HOLLY CONE SQUARE DOWN IP65 300 830	56	68	82	96	44	54	65	76	30A	200 μs
96633686	HOLLY CONE SQUARE UP/DOWN IP65 500 830	56	68	82	96	44	54	65	76	30A	200 μs
96633687	HOLLY WALL CAN DOWN IP65 250 830	56	68	82	96	44	54	65	76	30A	200 μs



Julie Vario

Article No.	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25	Inrush current [A]	Pulse duration [μs]
96649388	JULIE VAR LED 600 2200 830/40/57	75	115	125	150	210	50	70	85	110	110	15A	100 μs
96649389	JULIE VAR LED 1200 4200 830/40/57	45	65	70	90	100	40	60	60	80	100	15A	100 μs
96649390	JULIE VAR LED 1500 6300 830/40/57	30	45	50	60	75	30	45	50	60	75	20A	100 μs
96649391	JULIE VAR LED 600 2200 830/40/57 MWSCOR	75	115	125	150	210	50	70	85	110	110	15	100 μs
96649392	JULIE VAR LED 1200 4200 830/40/57 MWSCOR	45	65	70	90	100	40	60	60	80	100	15	100 μs
96649393	JULIE VAR LED 1500 6300 830/40/57 MWSCOR	30	45	50	60	75	30	45	50	60	75	20	100 μs
96649394	JULIE VAR LED 600 2200 830/40/57 E2	75	115	125	150	210	50	70	85	110	110	15	100 μs
96649395	JULIE VAR LED 1200 4200 830/40/57 E2	45	65	70	90	100	40	60	60	80	100	15	100 μs
96649396	JULIE VAR LED 1500 6300 830/40/57 E2	30	45	50	60	75	30	45	50	60	75	20	100 μs
96649397	JULIE VARLED600 2200 830/40/57 MWSCOR E2	75	115	125	150	210	50	70	85	110	110	15	100 μs
96649398	JULIE VARLED1200 4200 830/40/57 MWSCOR E2	45	65	70	90	100	40	60	60	80	100	15	100 μs
96649399	JULIE VARLED1500 6300 830/40/57 MWSCOR E2	30	45	50	60	75	30	45	50	60	75	20	100 μs



Lara Vario Flex

Article No.	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25	Inrush current [A]
96635288	LARA VARIOFLEX 250 1200 BEZEL TRIM WH	9	11	13	16	20	8	9	11	14	17	0.7A
96635541	LARA VARIOFLEX 250 1200 EM BEZEL TRIM WH	7	9	12	14	18	6	7	9	12	15	0.75A
96635290	LARA VARIOFLEX 300 2200 BEZEL TRIM WH	6	8	9	11	13	5	6	7	8	10	1.15A
96635291	LARA VARIOFLEX 300 2200 MWS BEZELTRIM WH	5	7	8	10	12	4	5	6	7	9	1.15A
96635543	LARA VARIOFLEX 300 2200 EM BEZEL TRIM WH	3	5	6	8	10	2	3	4	5	7	1.12A
96635544	LARA VARIOFLEX 300 2200 MWS & EM BEZEL TRIM WH	3	5	6	8	10	2	3	4	5	7	1.12A

Maximum loading of automatic circuit breakers



Lena Vario

Article No.	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96649602	LENA VAR 1400 320 DIM 830/40/57	22	29	36	45	20	27	33	41
96649603	LENA VAR 1800 380 DIM 830/40/57	19	25	31	39	17	23	28	35
96649604	LENA VAR 1800 380 DIM 830/40/57 MWS	16	21	26	33	15	19	24	30



Leo Flex

Article No.	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25	Inrush current [A]	Pulse duration [μ s]
96651533	LEO FLEX IP66 80W 850 PC	5	7	9	11	15	5	6	8	10	13	80A	150 μ s
96651534	LEO FLEX IP66 120W 850 PC	5	7	9	11	15	5	6	8	10	13	80A	150 μ s
96651535	LEO FLEX IP66 190W 850 PC	3	4	5	6	9	3	4	5	6	8	100A	220 μ s
96651536	LEO FLEX IP66 300W 850 PC	4	7	9	11	15	4	6	8	10	12	100A	220 μ s
96651537	LEO FLEX IP66 350W 850 PC	3	4	5	6	9	3	4	5	6	8	100A	220 μ s
96651538	LEO FLEX IP66 80W 840 PC PAC	5	7	9	11	15	5	6	8	10	13	80A	150 μ s
96651539	LEO FLEX IP66 120W 840 PC PAC	5	7	9	11	15	5	6	8	10	13	80A	150 μ s
96651540	LEO FLEX IP66 190W 840 PC PAC	3	4	5	6	9	3	4	5	6	8	100A	220 μ s
96651542	LEO FLEX IP66 300W 840 PC PAC	4	7	9	11	15	4	6	8	10	12	100A	220 μ s
96651543	LEO FLEX IP66 350W 840 PC PAC	3	4	5	6	9	3	4	5	6	8	100A	220 μ s



Leonie Vario Flex

Article No.	Product Description	C10	C13	C16	C20	C25	B10	B13	B16	B20	B25	Inrush current [A]	Pulse duration [μ s]
96652074	LEONIE VARIOFLEX IP65 16W 830/40/57	90	105	120	140	180	60	75	90	120	160	< 10A	980 μ s
96652075	LEONIE VARIOFLEX IP65 40W 830/40/57	40	55	70	90	120	30	35	40	60	100	< 10A	200 μ s

Maximum loading of automatic circuit breakers



Ruby Vario

Article No.	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96650508	RUBY VAR LED 1200X600 4800 830/40/57 FP	26	34	42	53	16	20	25	32
96650509	RUBY VAR LED 1200X300 3200 830/40/57 FP	47	61	76	95	30	39	48	60
96650510	RUBY VAR LED 600X600 3500 830/40/57 FP	36	47	58	73	31	40	50	63
96650511	RUBY VAR LED 600X300 1800 830/40/57 FP	64	83	102	128	55	71	88	110



Sharon Vario

Article No.	Product Description	C10	C13	C16	C20	B10	B13	B16	B20
96649647	SHARON VAR LED 90 800 830/40/57 DIM FP	103	133	164	205	103	133	164	205
96649648	SHARON VAR LED 160 1600 830/40/57 DIM FP	83	108	133	167	55	72	88	110